


SLYN-PCR(T)-DS-LM-00



3

19/10/2020

2PvW

2024 1 1 -2024 12 31
SLYN-PCR(T) -DS-LM-00

- -

ISO 14067-2018
PAS 2050:2011

SLYN-PCR(T) -DS-LM-00

1 SLYN-PCR(T) -DS-LM-00

“ ”

ISO 14067:2018
PAS 2050:2011

1% 0.1%
5%

2

3

- *

4

CPCD 2006 IPCC
2019

IPCC 2006 ^a

Ÿ - * /
GHG

GHG

.

GHG

GHG

1%

0.1%

5%

- a)
- b)
- c)
- d)
- e)
- f)
- g)

/

GHG

2- 1

	/

2- 2

2025.3.10	
2025.3.14	
2025.3.15	

“ ”

2025 2 14

“ ”

209 160000

1# 2# 3# 4# 6.5

,º Gf• Aôó

“ 2019
20 ” “
” “ 3C ” “
“ ” “
” “
” “
20
-
4.0
30 12 4 863


4.0 WCS WMS MES 3C
” iPhone4- iphone15
“ ”

SLYN-PCR(T) -DS-LM-00

2024 01 01 - 2024 12 31

/

1 SLYN-PCR(T) -DS-LM-00



3-2

31@p • A —d2 o

			/	
			/	
2			/	
3		/	/	
4		/	/	
5		/	/	


2025 3 14

2024 1 1 ~2024 12 31



4- 2

						/		/



CPCD

4- 3

[illegible]


1			

5-3

		kgCO ₂ e	
1	Q235A	75.1716	0.11%
2	Q235B	4.38501	0.01%
3		184.3494	0.27%
4		0.036765	0.0001%
5	ABS	0.03192	0.00005%
6	PU	0.0228	0.00003%
7		0.0002223	0.0000003%
8		0.3078	0.0004%
9		0.08208	0.0001%
10		0.3648	0.0005%
11	45	0.02736	0.00004%

5-4

	kgCO ₂ e	



5-1

5-1	1	SLYN-PCR(T) -DS-LM-00	
		99.56%	0.38%

			± 2%
± 3%		± 3%	
	± 2%		± 4%
AF-TM1KE-US			
	± 2%		
	± 3%		

$\pm 4\%$

0.38%



- 1
- 2
- 3
- 4
- 5
- 6

6